

18in Standard Rotation




The Information contained in this Drawing is confidential and trade secert to SCS Gearbox, and is not to be disclosed without release from the V.P. of Engineering

739 West Main St.

Bellevue, OH. 44811

CALE

| STEEL HOL. | DRIE HOL. | DRIE HOL. | REV. | DRIE HOL. | D



NEVIOUS.		
EV DESCRIPTION	DATE	APPROVED
ε		V DESCRIPTION DATE

ITEM NO.	PART NUMBER	QTY.	
1	18in Standard Plate	1	
2	Quick Change 18in Counter Shaft	1	
3	Quick Change Idler Shaft	1	
4	209 C3 Ball	4	
5	308	1	
6	CR_17448	2	
7	Monster Truck Seal Ring	1	
8	B27.1 - NA1-175	1	
9	B27.1 - NA1-206	1	
10	25 tooth 1.520 27 Spline	2	
11	Narrow FW 0.25	6	
12	Regular LW 0.25	6	
13	Vent Bar	1	
14	1/4-20x.75 Cap Screw	2	
15	.25 drain plug	1	
16	SSFLATSKT 0.75-10x0.625-HX-N	1	
17	5/16-18x.75 Cap Screw	5	
18	DPM 0.3125x1	3	
19	Quick Change Transfer Case	1	
20	18in Standard Lid Quick Change Transfer Case	1	
21	HBOLT 0.2500-20x1.5x0.75-N	6	
22	HX-SHCS 0.3125-18x2.5x1.375-N	10	
23	Quick Change 18in Input Shaft		
24	25 tooth 1.520	1	
18in Standard Rotation			

18in Standard Rotation



The Information contained in this Brawing is confidential and trade secent to SCS Gearbox, and in not to be disclosed without release from the V.P. of Engineering